



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

- **Trade name:** Apple 2500-fold (ref.-no. 2018.2231)
- **Chemical Identification:** Apple, Malus sylvestris, ext.

· **Article number:** 2006#0096

· **CAS Number:**  
85251-63-4

· **EC number:**  
286-475-7

- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **Application of the substance / the mixture** Flavours

### · 1.3 Details of the supplier of the safety data sheet

#### · **Manufacturer/Supplier:**

MCI Miritz Citrus Intercontinental GmbH & Co. KG  
Citrusstr. 3  
D-37318 Kirchgandern  
Tel: 0049-36081-621-0  
e-mail: info@miritz.de

MCI Miritz Citrus GmbH & Co. KG  
Citrusstr. 3  
D-37318 Kirchgandern  
Tel: 0049-36081-621-0  
e-mail: info@miritz.de

MCI Miritz Citrus Ingredients LLC  
28 Railroad Avenue  
Warwick, NY 10990  
USA

#### · **Further information obtainable from:**

Department Regulatory Affairs  
Tel.: 0049-36081-621-0  
info@miritz.de

#### · **1.4 Emergency telephone number:**

MCI Miritz Germany: 0049-(0)-170-9131244  
Chemtrec USA: 001-1-800-424-9300  
Emergency Number China: 0086-532-8388-9090

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

Carc. 1B H350 May cause cancer.

STOT SE 2 H371 May cause damage to the central nervous system and the visual organs.

(Contd. on page 2)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02 GHS07 GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*methanol*  
*Acetaldehyde*  
*butan-1-ol*
- **Hazard statements**  
*H225 Highly flammable liquid and vapour.*  
*H302 Harmful if swallowed.*  
*H319 Causes serious eye irritation.*  
*H350 May cause cancer.*  
*H371 May cause damage to the central nervous system and the visual organs.*
- **Precautionary statements**  
*P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
*P240 Ground and bond container and receiving equipment.*  
*P241 Use explosion-proof [electrical/ventilating/lighting] equipment.*  
*P260 Do not breathe dust/fume/gas/mist/vapours/spray.*  
*P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*  
*P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.*  
*P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*  
*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*P405 Store locked up.*  
*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Additional information:**  
*Contains Hexen-2-al, trans-2-Hexenol. May produce an allergic reaction.*  
*Restricted to professional users.*
- **2.3 Other hazards** *Can cause dry skin.*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **CAS No. / Description**  
*85251-63-4 Apple, Malus sylvestris, ext.*

(Contd. on page 3)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 2)

- **Identification number(s)**  
EINECS CAS 85251-63-4  
EINECS 286-475-7  
Apple, *Malus sylvestris*, ext.
- **EC number:** 286-475-7
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6	ethanol Flam. Liq. 2, H225; Eye Irrit. 2, H319	25-50%
CAS: 67-56-1 EINECS: 200-659-6	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 Specific concentration limits: STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	2.5-10%
CAS: 71-36-3 EINECS: 200-751-6	butan-1-ol Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	≤1%
CAS: 75-07-0 EINECS: 200-836-8	Acetaldehyde Flam. Liq. 1, H224; Muta. 2, H341; Carc. 1B, H350; Acute Tox. 4, H302; Eye Irrit. 2A, H319; STOT SE 3, H335	≤1%

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:**  
If health disorder happens, call for medical help immediately.  
Immediately remove any clothing soiled by the product.  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Call for a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, alcohol resistant foam, powder, water spray.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Smoke and soot  
During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

DEN



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 3)

- Do not use water with full jet to prevent fire spreading.
- **5.3 Advice for firefighters**
- **Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Mouth respiratory protective device.
- **Additional information**
  - Cool endangered receptacles with water spray.
  - Collect contaminated fire fighting water separately. It must not enter the sewage system.
  - Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
  - Follow safety measures in chapter 7 and 8.
  - Mount respiratory protective device.
  - Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
  - Do not allow to penetrate the ground/soil.
  - Dilute with plenty of water.
  - Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
  - Wipe up little amounts with absorbent material like cloth or pulp.
  - Absorb with incombustible liquid-binding material (sand, diatomite, universal binders).
  - Dispose of contaminated material as waste according to item 13.
  - Ensure adequate ventilation.
- **6.4 Reference to other sections**
  - See Section 7 for information on safe handling.
  - See Section 8 for information on personal protection equipment.
  - See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
  - personal protection equipment see point 8.
  - Ensure good ventilation/exhaustion at the workplace.
  - Open and handle receptacle with care.
  - Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
  - Fumes can combine with air to form an explosive mixture.
  - Keep ignition sources away - Do not smoke.
  - Protect against electrostatic charges.
  - Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
  - Store only in unopened original receptacles.
  - Provide solvent resistant, sealed floor.
  - Store in a cool location.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 4)

- **Storage class:** 3
- **Classification according to Betriebssicherheitsverordnung (BetrSichV)** Flammable liquid
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · **Ingredients with limit values that require monitoring at the workplace:**

<b>64-17-5 ethanol</b>	
AGW (Germany)	Long-term value: 380 mg/m <sup>3</sup> , 200 ppm 4(II);DFG, Y
<b>67-56-1 methanol</b>	
AGW (Germany)	Long-term value: 130 mg/m <sup>3</sup> , 100 ppm 2(II);DFG, EU, H, Y
<b>71-36-3 butan-1-ol</b>	
AGW (Germany)	Long-term value: 310 mg/m <sup>3</sup> , 100 ppm 1(I);DFG, Y
<b>75-07-0 Acetaldehyde</b>	
AGW (Germany)	Long-term value: 91 mg/m <sup>3</sup> , 50 ppm 1;=2=(I);AGS, DFG, Y

##### · **Ingredients with biological limit values:**

<b>67-56-1 methanol</b>	
BGW (Germany)	30 mg/l Untersuchungsmaterial: Urin Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten, Expositionsende bzw. Schichtende Parameter: Methanol
<b>71-36-3 butan-1-ol</b>	
BGW (Germany)	2 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: vor nachfolgender Schicht Parameter: Butan-1-ol (1-Butanol) (nach Hydrolyse)  10 mg/g Kreatinin Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Butan-1-ol (1-Butanol) (nach Hydrolyse)

· **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 5)

**· Respiratory protection:**

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**· Hand protection**

Preventive skin protection by use of skin-protecting agents is recommended.

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**· Penetration time of glove material**

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· For the permanent contact gloves made of the following materials are suitable:**

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

**· As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

**· Eye/face protection****Tightly sealed goggles according to EN 166:2001****· Body protection: Protective work clothing**

### SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties****· General Information****· Physical state**

Fluid

**· Colour:**

Clear

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· Melting point/freezing point:**

Undetermined.

**· Boiling point or initial boiling point and boiling range**

&gt;35 °C

**· Flammability**

Not applicable.

**· Lower and upper explosion limit****· Lower:**

3.5 Vol %

**· Upper:**

15 Vol %

**· Flash point:**

19 °C (ASTM D7094)

**· Auto-ignition temperature:**

Not determined.

(Contd. on page 7)

DEN



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

Trade name: *Apple 2500-fold (ref.-no. 2018.2231)*

(Contd. of page 6)

· <i>Decomposition temperature:</i>	<i>Not determined.</i>
· <i>pH at 20 °C</i>	<i>5</i>
· <i>Viscosity:</i>	
· <i>Kinematic viscosity</i>	<i>Not determined.</i>
· <i>Dynamic:</i>	<i>Not determined.</i>
· <i>Solubility</i>	
· <i>water:</i>	<i>Fully miscible.</i>
· <i>Partition coefficient n-octanol/water (log value)</i>	<i>Not determined.</i>
· <i>Vapour pressure at 20 °C:</i>	<i>59 hPa</i>
· <i>Density and/or relative density</i>	
· <i>Density at 20 °C:</i>	<i>0.935 g/cm<sup>3</sup></i>
· <i>Relative density</i>	<i>Not determined.</i>
· <i>Vapour density</i>	<i>Not determined.</i>

· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	<i>Fluid</i>
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	<i>425 °C</i>
· <b>Explosive properties:</b>	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
· <b>Water:</b>	<i>60.0 %</i>
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	<i>Not determined.</i>

· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	<i>Void</i>
	<i>Void</i>
· <b>Flammable gases</b>	<i>Void</i>
	<i>Void</i>
· <b>Aerosols</b>	<i>Void</i>
	<i>Void</i>
· <b>Oxidising gases</b>	<i>Void</i>
	<i>Void</i>
· <b>Gases under pressure</b>	<i>Void</i>
	<i>Void</i>
· <b>Flammable liquids</b>	<i>Highly flammable liquid and vapour.</i>
	<i>Void</i>
· <b>Flammable solids</b>	<i>Void</i>
	<i>Void</i>
· <b>Self-reactive substances and mixtures</b>	<i>Void</i>
	<i>Void</i>
· <b>Pyrophoric liquids</b>	<i>Void</i>
	<i>Void</i>
· <b>Pyrophoric solids</b>	<i>Void</i>
	<i>Void</i>
· <b>Self-heating substances and mixtures</b>	<i>Void</i>
	<i>Void</i>
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	<i>Void</i>
	<i>Void</i>

(Contd. on page 8)

DEN





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

Trade name: **Apple 2500-fold** (ref.-no. 2018.2231)

(Contd. of page 7)

· <b>Oxidising liquids</b>	Void
	Void
· <b>Oxidising solids</b>	Void
	Void
· <b>Organic peroxides</b>	Void
	Void
· <b>Corrosive to metals</b>	Void
	Void
· <b>Desensitised explosives</b>	Void
	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
Heating causes vaporisation and formation of ignitable atmosphere is possible.
- **10.3 Possibility of hazardous reactions**  
Formation of explosive gas mixture with air possible.  
Reacts violently with oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
No dangerous decomposition products expected by intended use.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.

- **LD/LC50 values relevant for classification:**

<b>64-17-5 ethanol</b>		
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
<b>71-36-3 butan-1-ol</b>		
Oral	LD50	790 mg/kg (rat)
Inhalative	LD50	3,400 mg/kg (rabbit)
	LC50/4 h	8,000 mg/l (rat)
<b>75-07-0 Acetaldehyde</b>		
Oral	LD50	661 mg/kg (rat)
Inhalative	LC50/4 h	37 mg/l (rat)
<b>71-23-8 propan-1-ol</b>		
Oral	LD50	1,870 mg/kg (rat)
Inhalative	LD50	5,040 mg/kg (rabbit)
<b>111-27-3 hexan-1-ol</b>		
Oral	LD50	720 mg/kg (rat)
Inhalative	LD50	3,100 mg/kg (rabbit)

(Contd. on page 9)

DEN





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 8)

<b>137-32-6 2-methylbutanol</b>		
Oral	LD50	1,000 mg/kg (rat)
Inhalative	LD50	3,540 mg/kg (rabbit)
<b>141-78-6 Ethyl acetate</b>		
Oral	LD50	5,620 mg/kg (rabbit)
Inhalative	LC50/4 h	1,600 mg/l (rat)
<b>6728-26-3 Hexen-2-al</b>		
Oral	LD50	780 mg/kg (rat)
Inhalative	LD50	600 mg/kg (rabbit)
<b>928-95-0 trans-2-Hexenol</b>		
Oral	LD50	3,500 mg/kg (rat)
Inhalative	LD50	4,500 mg/kg (rabbit)
<b>123-86-4 n-butyl acetate</b>		
Oral	LD50	13,100 mg/kg (rat)
Inhalative	LD50	>5,000 mg/kg (rabbit)
	LC50/4 h	>21 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Sensitisation:** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause damage to the central nervous system and the visual organs.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

**· Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Quantitative data according to the ecological effects are not available.
- **Additional ecological information:**
- **General notes:**  
Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 10)

DEN



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

Trade name: **Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 9)

Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation**

Recycling is preferred to disposal or burning.

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

02 00 00	WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING
02 03 00	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation
02 03 03	wastes from solvent extraction

· **Uncleaned packaging:**· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.**SECTION 14: Transport information**· **14.1 UN number or ID number**· **ADR, IMDG, IATA**

UN1197

· **14.2 UN proper shipping name**· **ADR**

1197 EXTRACTS, FLAVOURING, LIQUID, special provision 640D

· **IMDG, IATA**

EXTRACTS, FLAVOURING, LIQUID

· **14.3 Transport hazard class(es)**· **ADR**· **Class**

3 (F1) Flammable liquids.

· **Label**

3

· **IMDG, IATA**· **Class**

3 Flammable liquids.

(Contd. on page 11)

DEN



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 10)

· <b>Label</b>	3
· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	II
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> · <b>EMS Number:</b> · <b>Stowage Category</b>	Warning: Flammable liquids. 33 F-E,S-D B
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>  · <b>Transport category</b> · <b>Tunnel restriction code</b>	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  2 D/E
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1197 EXTRACTS, FLAVOURING, LIQUID, SPECIAL PROVISION 640D, 3, II

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category P5c FLAMMABLE LIQUIDS**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 69

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 12)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 11)

**· Breakdown regulations:**

Critical quantity values according to the regulations on accidents should be adhered to.

**· Technical instructions (air):**

Class	Share in %
Wasser	50-100
I	2.5-10
NK	25-50

**· Waterhazard class:** Water hazard class 2 (Self-assessment): hazardous for water.**· Other regulations, limitations and prohibitive regulations**

Comply with the rules and regulations of skin protection.

Comply with the rules and regulations of respiratory protection.

According to exposition (skin contact, inhalation) preventive medical checkup is necessary (GefStoffV/ArbMedVV).

**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H370 Causes damage to organs.

**· Recommended restriction of use** For industrial application only.**· Department issuing SDS:** Regulatory Affairs**· Contact:**

Department Regulatory Affairs

Tel.: 0049-36081-621-0

info@miritz.de

**· Date of previous version:** 05.03.2021**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 13)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 01.11.2021

Version number 1.00

Revision: 05.03.2021

**Trade name: Apple 2500-fold (ref.-no. 2018.2231)**

(Contd. of page 12)

*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*Flam. Liq. 1: Flammable liquids – Category 1*  
*Flam. Liq. 2: Flammable liquids – Category 2*  
*Flam. Liq. 3: Flammable liquids – Category 3*  
*Acute Tox. 3: Acute toxicity – Category 3*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*  
*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*Muta. 2: Germ cell mutagenicity – Category 2*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*STOT SE 1: Specific target organ toxicity (single exposure) – Category 1*  
*STOT SE 2: Specific target organ toxicity (single exposure) – Category 2*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

DEN