

Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)
- · Chemical Identification: Apple, Malus sylvestris, ext.
- · Article number: 2006#0026
- CAS Number: 85251-63-4
- **EC number:** 286-475-7
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Flavours
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MCI Miritz Citrus Intercontinental GmbH & Co. KG

Citrusstr. 3

D-37318 Kirchgandern Tel: 0049-36081-621-0 e-mail: info@miritz.de

MCI Miritz Citrus GmbH & Co. KG

Citrusstr. 3

D-37318 Kirchgandern Tel: 0049-36081-621-0 e-mail: info@miritz.de

MCI Miritz Citrus Ingredients LLC 28 Railroad Avenue Warwick, NY 10990 USA

· Further information obtainable from:

Department Regulatory Affairs Tel.: 0049-36081-621-0

info@miritz.de

· 1.4 Emergency telephone number:

MCI Miritz Germany: 0049-(0)-170-9131244

Chemtrec USA: 001-1-800-424-9300

Emergency Number China: 0086-532-8388-9090

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)



Revision: 29.01.2021 *Printing date 01.11.2021* Version number 8.00

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

hexan-1-ol

Hexen-2-al

butan-1-ol

trans-2-Hexenol

Hexanal

· Hazard statements

H225 Highly flammable liquid and vapour.

H302+H312 Harmful if swallowed or in contact with skin.

H315 Causes skin irritation. H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

Use explosion-proof [electrical/ventilating/lighting] equipment. P241

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards Can cause dry skin.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. / Description

85251-63-4 Apple, Malus sylvestris, ext.

· Identification number(s)

EINECS CAS 85251-63-4

EINECS 286-475-7

Apple, Malus sylvestris, ext.

(Contd. on page 3)



 Printing date 01.11.2021
 Version number 8.00
 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 2)

. FC	number	286-475-7
· r.	mummer:	Z00-4/J-/

Dangerous compone	ents:	
CAS: 64-17-5 EINECS: 200-578-6	ethanol	25-50%
	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319	
CAS: 111-27-3 EINECS: 203-852-3	hexan-1-ol Flam. Liq. 3, H226; Acute Tox. 4, H302; Acute Tox. 4, H312; Eye Irrit. 2, H319	10-25%
CAS: 6728-26-3 EINECS: 229-778-1	Hexen-2-al ♠ Flam. Liq. 3, H226; ♠ Acute Tox. 3, H311; ♠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	10-25%
CAS: 137-32-6	2-methylbutanol	2.5-10%
EINECS: 205-289-9	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H302	
CAS: 928-95-0	trans-2-Hexenol	2.5-10%
EINECS: 213-191-2	🏇 Flam. Liq. 3, H226; 🔷 Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 71-36-3 EINECS: 200-751-6	butan-1-ol Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	2.5-10%
CAS: 123-86-4	n-butyl acetate	2.5-10%
EINECS: 204-658-1	♠ Flam. Liq. 3, H226; ♦ STOT SE 3, H336, EUH066	
CAS: 66-25-1 EINECS: 200-624-5	Hexanal ♠ Flam. Liq. 3, H226; ♠ Skin Irrit. 2, H315; Eye Irrit. 2, H319;	2.5-10%
	Skin Sens. 1B, H317	
CAS: 141-78-6	Ethyl acetate	1-2.5%
EINECS: 205-500-4	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2A, H319; STOT SE 3, H336, EUH066	
CAS: 624-41-9	2-methylbutyl acetat	1-2.5%
EINECS: 210-843-8	♦ Flam. Liq. 3, H226, EUH066	
CAS: 67-56-1	methanol	≤1%
EINECS: 200-659-6	 ♦ Flam. Liq. 2, H225; ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT SE 1, H370 	
	Specific concentration limits: STOT SE 1; H370: $C \ge 10 \%$ STOT SE 2; H371: $3 \% \le C < 10 \%$	
CAS: 71-23-8	propan-1-ol	≤1%
EINECS: 200-746-9	Flam. Liq. 2, H225; Eye Dam. 1, H318; Acute Tox. 4, H302; STOT SE 3, H336	
CAS: 100-52-7	Benzaldehyde	≤1%
EINECS: 202-860-4	① Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 105-54-4	Ethyl butyrate	≤1%
EINECS: 203-306-4	🕏 Flam. Liq. 3, H226; 🗘 Eye Irrit. 2, H319	
CAS: 142-92-7	Hexyl acetate	≤1%
EINECS: 205-572-7		
CAS: 928-96-1	cis-3-Hexenol	≤1%
EINECS: 213-192-8	♠ Flam. Liq. 3, H226; ♠ Eye Irrit. 2, H319	

— DEN



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 3)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

If health disorder happens, call for medical help immediately.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Smoke and soot

Do not use water with full jet to prevend fire spreading.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- $\cdot \textit{Additional information}$

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Follow safety measures in chapter 7 and 8.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp.

Absorb with incombustible liquid-binding material (sand, diatomite, universal binders).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



 Printing date 01.11.2021
 Version number 8.00
 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 4)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling personal protection equipment see point 8.
- · Information about fire and explosion protection:

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Provide solvent resistant, sealed floor.

Store in a cool location.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable liquid
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with	limit values that require monitoring at the workplace:	
64-17-5 ethanol		
AGW (Germany)	Long-term value: 380 mg/m³, 200 ppm 4(II);DFG, Y	
111-27-3 hexan-	l-ol	
AGW (Germany)	Long-term value: 105 mg/m³, 25 ppm 1(I);AGS, Y, 11	
137-32-6 2-methy	lbutanol	
AGW (Germany)	Long-term value: 73 mg/m³, 20 ppm 2 (I);DFG, Y	
71-36-3 butan-1-	ol	
AGW (Germany)	Long-term value: 310 mg/m³, 100 ppm 1(I);DFG, Y	
123-86-4 n-butyl	acetate	
AGW (Germany)	Long-term value: 300 mg/m³, 62 ppm 2(I);AGS, Y	
141-78-6 Ethyl a	cetate	
AGW (Germany)	Long-term value: 730 mg/m³, 200 ppm 2(I);DFG, EU, Y	
		(Contd. on pag

——— DI



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

	(Contd. of page
624-41-9 2-methy	ylbutyl acetat
AGW (Germany)	Long-term value: 270 mg/m³, 50 ppm
	I(I); DFG, Y
67-56-1 methano	l
AGW (Germany)	Long-term value: 130 mg/m³, 100 ppm
	2(II);DFG, EU, H, Y
100-52-7 Benzald	lehyde
MAK (Germany)	vgl.Abschn.IIb
· Ingredients with	biological limit values:
71-36-3 butan-1-	ol
BGW (Germany)	2 mg/g Kreatinin
• •	Untersuchungsmaterial: Urin
	Probennahmezeitpunkt: vor nachfolgender Schicht
	Parameter: Butan-1-ol (1-Butanol) (nach Hydrolyse)
	10 mg/g Kreatinin
	Untersuchungsmaterial: Urin
	Probennahmezeitpunkt: Expositionsende bzw. Schichtende
	Parameter: Butan-1-ol (1-Butanol) (nach Hydrolyse)
67-56-1 methano	l
BGW (Germany)	30 mg/l
•	Untersuchungsmaterial: Urin
	Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehrerei
	vorangegangenen Schichten, Expositionsende bzw. Schichtende
	Parameter: Methanol

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 7)



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 6)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Eye/face protection



Tightly sealed goggles according to EN 166:2001

· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidClear

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range >35 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 1.2 Vol %
 Upper: 15 Vol %

• Flash point: 19 °C (ASTM D7094)

· Auto-ignition temperature: Product is not selfigniting; but in case of

unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels,

binder).

Not determined.

• Decomposition temperature: Not determined.

· Viscosity:

 $\cdot pH$

• Kinematic viscosity Not determined.
• Dynamic: Not determined.

· Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 59 hPa

· Density and/or relative density

• **Density at 20 °C:** 0.842 g/cm³

(Contd. on page 8)



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

	(Contd. of page
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of he	ealth
and environment, and on safety.	200.00
Ignition temperature:	290 °C
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Change in condition	N7 . 1
Evaporation rate	Not determined.
Information with regard to physical ha	zard
classes	
Explosives	Void
	Void
Flammable gases	Void
	Void
Aerosols	Void
	Void
Oxidising gases	Void
	Void
Gases under pressure	Void
	Void
Flammable liquids	Highly flammable liquid and vapour.
	Void
Flammable solids	Void
	Void
Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids	Void
	Void
Pyrophoric solids	Void
	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flamm	Void
gases in contact with water	void
guses in comuci with water	voia Void
Oxidising liquids	Void Void
onmong nyum	Void
Oxidising solids	Void
Caracterist Sound	Void
Organic peroxides	Void
or Same peronues	Void
Corrosive to metals	Void
Corresponding	Void
Desensitised explosives	Void
2000 is a compressive of	Void



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 8)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Heating causes vaporisation and formation of ignitable atmosphere is possible.

· 10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible.

Reacts violently with oxidising agents.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.

SECTION 11: Toxicological information

- \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed or in contact with skin

<i>LD/LC50</i> 1	vatues rele	vant for classification:	
64-17-5 eti	hanol		
Oral	LD50	7,060 mg/kg (rat)	
Inhalative	LC50/4 h	20,000 mg/l (rat)	
111-27-3 h	exan-1-ol		
Oral	LD50	720 mg/kg (rat)	
Inhalative	LD50	3,100 mg/kg (rabbit)	
6728-26-3	Hexen-2-a	l	
Oral	LD50	780 mg/kg (rat)	
Inhalative	LD50	600 mg/kg (rabbit)	
137-32-6 2	-methylbu	anol	
Oral	LD50	1,000 mg/kg (rat)	
Inhalative	LD50	3,540 mg/kg (rabbit)	
928-95-0 ti	rans-2-Hex	renol	
Oral	LD50	3,500 mg/kg (rat)	
Inhalative	LD50	4,500 mg/kg (rabbit)	
71-36-3 bu	tan-1-ol		
Oral	LD50	790 mg/kg (rat)	
Inhalative	LD50	3,400 mg/kg (rabbit)	
	LC50/4 h	8,000 mg/l (rat)	
123-86-4 n	-butyl acei	ate	
Oral	LD50	13,100 mg/kg (rat)	
Inhalative	LD50	>5,000 mg/kg (rabbit)	
	LC50/4 h	>21 mg/l (rat)	
66-25-1 H	exanal		
Oral	LD50	4,890 mg/kg (rat)	



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

	(Contd. of pag
thyl acetai	te
LD50	5,620 mg/kg (rabbit)
LC50/4 h	1,600 mg/l (rat)
pan-1-ol	
LD50	1,870 mg/kg (rat)
LD50	5,040 mg/kg (rabbit)
enzaldehy	de
LD50	1,300 mg/kg (rat)
thyl butyre	ate
LD50	13,000 mg/kg (rat)
lexyl aceta	nte
LD50	42,000 mg/kg (rat)
LD50	>5,000 mg/kg (rabbit)
is-3-Hexer	ool
LD50	4,700 mg/kg (rat)
LD50	>5,000 mg/kg (rabbit)
	LD50 LC50/4 h pan-1-ol LD50 LD50 enzaldehy LD50 thyl butyro LD50 texyl aceta LD50 LD50 texyl aceta LD50 thyl butyro LD50 texyl aceta LD50 thyl butyro LD50

- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Sensitisation: May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- Endocrine disrupting properties

 None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- $\cdot \textbf{ 12.4 Mobility in soil } \textit{No further relevant information available}.$
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Remark: Quantitative data according to the ecological effects are not available.
- · Additional ecological information:
- · General notes:

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 11)



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 10)

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Recycling is prefered to disposal or burning.

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue 02 03 03: wastes from solvent extraction
- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1197
14.2 UN proper shipping name	
ADR	1197 EXTRACTS, FLAVOURING, LIQUID, spec provision 640D
IMDG, IATA	EXTRACTS, FLAVOURING, LIQUID
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Hazard identification number (Kemler o	Warning: Flammable liquids.



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

	(Contd. of page 1
· EMS Number:	F-E,S-D
· Stowage Category	B
· 14.7 Maritime transport in bulk acc	ording to
IMO instruments	Not applicable.
· Transport/Additional information:	
\cdot ADR	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1197 EXTRACTS, FLAVOURING, LIQUIL
<u> </u>	SPECIAL PROVISION 640D, 3, II

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 69
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Breakdown regulations:

Critical quantity values according to the regulations on accidents should be adhered to.

· Technical instructions (air):

Class	Share in %
I	≤1
NK	50-100

· Waterhazard class: Water hazard class 2 (Assessment by list): hazardous for water.

(Contd. on page 13)



Printing date 01.11.2021 Version number 8.00 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 12)

· Other regulations, limitations and prohibitive regulations

Comply with the rules and regulations of skin protection.

Comply with the rules and regulations of respiratory protection.

According to exposition (skin contact, inhalation) preventive medical checkup is necessary (GefStoffV/ArbMedVV).

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H370 Causes damage to organs.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Recommended restriction of use For industrial application only.
- · Department issuing SDS: Regulatory Affairs
- · Contact:

Department Regulatory Affairs

Tel.: 0049-36081-621-0

in fo@miritz.de

- Date of previous version: 29.01.2021
 Version number of previous version: 7.99
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

(Contd. on page 14)



 Printing date 01.11.2021
 Version number 8.00
 Revision: 29.01.2021

Trade name: Apple Conc. CO2 Extracted (ref.-no. 2018.2232)

(Contd. of page 13)

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

DEM.