

Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)
- · Chemical Identification: Grapefruit, ext., (grapefruit oil, terpeneless)
- · Article number: 2006#0072
- CAS Number: 90045-43-5
- **EC number:** 289-904-6
- · Registration number 01-2120119763-56-0015
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

 $\cdot \ Application \ of \ the \ substance \ / \ the \ mixture$

Flavours/Fragrances

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MCI Miritz Citrus Intercontinental GmbH & Co. KG

Citrusstr. 3

D-37318 Kirchgandern Tel: 0049-36081-621-0 e-mail: info@miritz.de

MCI Miritz Citrus GmbH & Co. KG

Citrusstr. 3

D-37318 Kirchgandern Tel: 0049-36081-621-0 e-mail: info@miritz.de

MCI Miritz Citrus Ingredients LLC 28 Railroad Avenue Warwick, NY 10990

· Further information obtainable from:

Department Regulatory Affairs

Tel.: 0049-36081-621-0

info@miritz.de

· 1.4 Emergency telephone number:

MCI Miritz Germany: 0049-(0)-170-9131244

Chemtrec USA: 001-1-800-424-9300

Emergency Number China: 0086-532-8388-9090

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 2)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms









GHS02

GHS07

7 GHS08

GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

(R)-p-mentha-1,8-diene

Myrcene

Citral

Linalool

Citronellal

· Hazard statements

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards Can cause dry skin.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. / Description

90045-43-5 Grapefruit oil

· Identification number(s)

EINECS CAS 90045-43-5

EINECS 289-904-6

TSCA CAS 68916-46-1

Grapefruit, ext., (grapefruit oil, terpeneless)

(Contd. on page 3)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 2)

· EC number: 289-904-6

· Additional information: For the wording of the listed hazard phrases refer to section 16.

· Dangerous compone	ents:	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	50-100%
EINECS: 227-813-5	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; ↑ Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CAS: 112-31-2	Decanal	1-2.5%
EINECS: 203-957-4	Eye Irrit. 2, H319; Aquatic Chronic 3, H412	
CAS: 123-35-3	Myrcene	1-2.5%
EINECS: 204-622-5	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 5392-40-5	Citral	≤1%
EINECS: 226-394-6	🔷 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 78-70-6	Linalool	≤1%
EINECS: 201-134-4	🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	
CAS: 106-23-0	Citronellal	≤1%
EINECS: 203-376-6	🕦 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1B, H317	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

If health disorder happens, call for medical help immediately.

Immediately remove any clothing soiled by the product.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, alcohol resistant foam, powder, water spray.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

Smoke and soot

Do not use water with full jet to prevend fire spreading.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

(Contd. on page 4)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 3)

· Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Follow safety measures in chapter 7 and 8.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Wipe up little amounts with absorbent material like cloth or pulp.

Water and cleansing agent

Absorb with incombustible liquid-binding material (sand, diatomite, universal binders).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

Keep ignition source away, do not smoke and avoid flames.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

personal protection equipment see point 8.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Fumes can combine with air to form an explosive mixture.

Moistened solids (e.g. cloth, pulp, filter panel, binder) has to be stored hermetically sealed and/or watered and proper disposed (see chapter 9 and 13).

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- \cdot Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Provide solvent resistant, sealed floor.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · Classification according to Betriebssicherheitsverordnung (BetrSichV) Flammable liquid

(Contd. on page 5)



 Printing date 01.11.2021
 Version number 11.00
 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 4)

 \cdot 7.3 Specific end use(s) No further relevant information available.

8.1 Control po Ingredients w	ith limit values that require monitoring at t	he workplace:
5989-27-5 (R)	-p-mentha-1,8-diene	
AGW (German	ny) Long-term value: 28 mg/m³, 5 ppm 4(II);DFG, H, Sh, Y	
DNELs		
90045-43-5 G	rapefruit, ext. (REACH)	
Oral	DNEL, acute / short term exp., systemic effects	mg/kg (human, general population) No hazard identified.
	DNEL, long term exp., systemic effects	4.44 mg/kg bw d (human, genera population)
Dermal	DNEL, acute / short term exp., local effects	μg/cm² (human, general population) Medium hazard (no threshold derived).
		μg/cm² (human, worker) Medium hazard (no threshold derived).
	DNEL, acute / short term exp., systemic effects	mg/kg bw d (human, general population, No hazard identified.
		mg/kg bw d (human, worker) No hazard identified.
	DNEL, long term exp., local effects	μg/cm² (human, general population) No hazard identified.
		μg/cm² (human, worker) No hazard identified.
	DNEL, long term exp., systemic effects	4.44 mg/kg bw d (human, genera population)
		8.89 mg/kg bw d (human, worker)
Inhalative	DNEL, acute / short term exp., local effects	mg/m³ (human, general population) No hazard identified.
		mg/m³ (human, worker) No hazard identified.
	DNEL, acute / short term exp., systemic effects	mg/m³ (human, general population) No hazard identified.
		mg/m³ (human, worker) No hazard identified.
	DNEL, long term exp., local effects	mg/m³ (human, general population) No hazard identified.
		mg/m³ (human, worker) No hazard identified.
	DNEL, long term exp., systemic effects	7.78 mg/m³ (human, general population)
		31.1 mg/m³ (human, worker)

(Contd. on page 6)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

Living DWE	(Contd. of page 5	
Irritation of eyes DNEL, eye exposure	(human, general population) No hazard identified	
	(human, worker) No hazard identified	
· PNECs		
90045-43-5 Grapefruit, ext. (REACH)		
PNEC, aqua (freshwater)	5.4 µg/l (aqua (freshwater))	
PNEC, aqua (marine water)	0.54 μg/l (aqua (marine water))	
PNEC, aqua (intermittent releases freshwater)	5.77 μg/l (aqua (freshwater))	
PNEC, sediment (freshwater)	1.3 mg/kg sedim. dw (sediment (freshwater))	
PNEC, sediment (marine water)	0.13 mg/kg sedim. dw (sediment (marine water))	
PNEC, soil	0.29 mg/kg soil dw (soil)	
PNEC, secondary poisoning	mg/kg food (predator) No potential to cause toxic effects if accumulated (in higher organisms) via the food chain	
PNEC, STP 2.1 mg/l (sewage treatment plant)		
PNEC, air	(air) No hazard identified	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Use personal protective equipment depending on concentration and amount of hazardous substance.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

Suitable respiratory protection: filter class A2 (brown colour).

Use the rules for application of respiratory protection systems.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 7)



Revision: 19.03.2021 *Printing date 01.11.2021* Version number 11.00

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 6)

· Penetration time of glove material

> 480 minutes at layerthickness of 0,425 millimeter (Sol-Vex 37-695/Ansell).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

E.g. following product: Sol-Vex (37-695) from Ansell.

· As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

· Eye/face protection



Tightly sealed goggles according to EN 166:2001

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Yellow/brown - red/brown

· Odour: Characteristic · Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range >35 °C

· Flammability Not applicable.

· Lower and upper explosion limit

0.7 Vol % · Lower: 6.1 Vol % · Upper:

· Flash point: 54 °C (ASTM D7094)

Product is not selfigniting; but in case of · Auto-ignition temperature:

> unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels,

binder).

· Decomposition temperature: Not determined. Not determined.

 $\cdot pH$ · Viscosity:

 $<18 \text{ mm}^2/\text{s}$

· Kinematic viscosity at 40 °C · Dynamic: Not determined.

· Solubility

Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 2.3 hPa

· Density and/or relative density

Density at 20 °C: $0.875 \ g/cm^3$ · Relative density Not determined. · Vapour density Not determined.

(Contd. on page 8)



Version number 11.00 Revision: 19.03.2021 Printing date 01.11.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 7)

	0 2	Othor	inform	ation
•	7.4	Oinei	uujoim	uuvu

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature:

255 °C

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Change in condition

· Pyrophoric liquids

· Desensitised explosives

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void

Void

· Flammable gases Void Void

· Aerosols Void Void

· Oxidising gases Void Void

· Gases under pressure Void Void

· Flammable liquids Flammable liquid and vapour.

· Flammable solids Void

Void

· Self-reactive substances and mixtures Void Void

> Void Void

· Pyrophoric solids Void

Void

· Self-heating substances and mixtures Void

Void

· Substances and mixtures, which emit flammable

gases in contact with water Void

> Void Void

· Oxidising liquids Void

Void

· Oxidising solids Void

Void

· Organic peroxides Void

Void

· Corrosive to metals Void

Void

Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

(Contd. on page 9)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 8)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Heating causes vaporisation and formation of ignitable atmosphere is possible.

· 10.3 Possibility of hazardous reactions

Formation of explosive gas mixture with air possible.

Product is not selfigniting; but in case of unpropitious storing conditions (air admission, heat accumulation) selfignition is possible for moistened solids (e.g. cloth, pulp, filter panels, binder). Reacts violently with oxidising agents.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

No dangerous decomposition products expected by intended use.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

		sea on available adia, the classification criteria are not met.	
· LD/LC50 1	· LD/LC50 values relevant for classification:		
5989-27-5	5989-27-5 (R)-p-mentha-1,8-diene		
Oral	LD50	4,400 mg/kg (rat)	
112-31-2 I	112-31-2 Decanal		
Oral	LD50	3,730 mg/kg (rat)	
Inhalative	LD50	5,040 mg/kg (rabbit)	
5392-40-5	5392-40-5 Citral		
Oral	LD50	4,960 mg/kg (rat)	
78-70-6 Li	78-70-6 Linalool		
Oral	LD50	2,790 mg/kg (rat)	
Inhalative	LD50	5,610 mg/kg (rabbit)	
98-55-5 al	98-55-5 alpha-Terpineol		
Oral	LD50	4,300 mg/kg (rat)	

· Skin corrosion/irritation

May cause photoxic effects.

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Sensitisation: May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- $\cdot \textbf{STOT-single exposure} \ \textit{Based on available data, the classification criteria are not met.}$
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Aspiration may cause lung damages.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 9)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic tox	icity:		
90045-43-5	90045-43-5 Grapefruit, ext. (REACH)		
LC50 (4 d)	5.65 mg/L (fish)		
EC50 (48h)	1.1 mg/L (daphnia)		
	8 mg/L (algae)		
EC10 (72h)	5.1 mg/L (algae)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- \cdot 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Remark: Quantitative data according to the ecological effects are not available.
- · Additional ecological information:
- · General notes:

Danger to drinking water if even small quantities leak into the ground.

Do not allow product to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Water hazard class 3 (German regulation) (AwSV 3816; CAS 90045-43-5): severe hazardous for water

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Recycling is prefered to disposal or burning.

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European	· European waste catalogue		
02 00 00	WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING		
02 03 00	wastes from fruit, vegetables, cereals, edible oils, cocoa, coffee, tea and tobacco preparation and processing; conserve production; yeast and yeast extract production, molasses preparation and fermentation		
02 03 03	wastes from solvent extraction		

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 11)



 Printing date 01.11.2021
 Version number 11.00
 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 10)

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Moistened solids (e.g. cloth, pulp, filter panels, binder) can be burnt after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

15 02 02: Filter and absorption materials contaminated with hazardous agents.

SECTION 14: Transport informa	tion
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1993
· 14.2 UN proper shipping name · ADR	1993 FLAMMABLE LIQUID, N.O.S. (d-limonene) ENVIRONMENTALLY HAZARDOUS
· IMDG	FLAMMABLE LIQUID, N.O.S. (d-limonene decanal), MARINE POLLUTANT
· IATA	FLAMMABLE LIQUID, N.O.S. (d-limonene mixture)
· 14.3 Transport hazard class(es)	
\cdot ADR	
*	
· Class	3 (F1) Flammable liquids.
· Label 	3
· Class	3 Flammable liquids.
· Label	3
· IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardou substances: d-Limonene
· Marine pollutant:	Yes
· Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Flammable liquids.



 Printing date 01.11.2021
 Version number 11.00
 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

	(Contd. of page 1)
· Hazard identification number (Kem	nler code): 30
· EMS Number:	F- E , S - E
· Stowage Category	A
· 14.7 Maritime transport in bulk acc	cording to
IMO instruments	Not applicable.
· Transport/Additional information:	
· <i>ADR</i>	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	D/E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 mi
· UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (D
Ç	LIMONENE), 3, III, ENVIRONMENTALL
	HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

· Breakdown regulations:

Critical quantity values according to the regulations on accidents should be adhered to.

· Technical instructions (air):

Class	Share in %
NK	50-100

(Contd. on page 13)



Printing date 01.11.2021 Version number 11.00 Revision: 19.03.2021

Trade name: Grapefruit Oil White 5-fold (ref.-no. 2018.2225)

(Contd. of page 12)

· Waterhazard class:

Water hazard class 3 (German regulation) (AwSV 3816; CAS 90045-43-5): severe hazardous for water

· Other regulations, limitations and prohibitive regulations

Comply with the rules and regulations of skin protection.

Comply with the rules and regulations of respiratory protection.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Recommended restriction of use For industrial application only.
- · Department issuing SDS: Regulatory Affairs
- · Contact:

Department Regulatory Affairs

Tel.: 0049-36081-621-0

info@miritz.de

- · Date of previous version: 02.12.2020
- · Version number of previous version: 10.99
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

 $GHS:\ Globally\ Harmonised\ System\ of\ Classification\ and\ Labelling\ of\ Chemicals$

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3